

CONTENTS

Preface

Contributing Authors

1. INTRODUCTION

Peter W. Hart and Andrew Wisner

1.1. IMPORTANCE OF THE KILN AND RECAUSTICIZING

1.1.1. The Kiln

1.1.2. Causticizing

1.2. ENVIRONMENTAL PERFORMANCE

1.3. HISTORY of Lime Making

1.3.1. Kiln Improvements

1.3.2. Recausticizing Improvements

1.4. CEMENT KILNS VERSUS KRAFT MILL LIME KILNS

1.5. LAYOUT OF THIS BOOK

1.6. CONTRIBUTORS TO THIS BOOK

1.7. SUMMARY

1.8. LITERATURE CITED

2. THE KRAFT CHEMICAL RECOVERY LIQUOR CYCLE

Peter W. Hart

2.1. THE RECOVERY CYCLE

2.1.1. Black Liquor

2.1.2. Green Liquor

2.1.3. White Liquor

2.1.4. Steam and Power Production

2.2. OPERATIONAL PROBLEMS

2.3. ENVIRONMENTAL CHALLENGES

2.3.1. Air Emissions

2.3.1.1. Particulate Emissions

2.3.1.2. Total Reduced Sulfur Emissions

2.3.1.3. Sulfur Dioxide Emissions

2.3.1.4. Gaseous Emissions and Volatile Organic Compounds

2.3.2. Water Reuse (Partial Mill Closure)

2.3.3. Nonprocess Elements

2.3.3.1. Alkali-Soluble Nonprocess Elements

2.3.3.2. Partially Alkali-Soluble Nonprocess Elements

2.3.3.3. Alkali-Insoluble Nonprocess Elements

2.4. MODERN SYSTEMS

2.5. ACKNOWLEDGEMENT

2.6. LITERATURE CITED

3. KILN CHEMISTRY

Peter W. Hart

3.1. LIME QUALITY

3.1.1. Crystalline Structure

3.1.2. Nodule Size

3.2. IMPURITIES

3.2.1. Sodium

3.2.1.1. Water-Soluble Sodium

3.2.1.2. Water-Insoluble Sodium

3.2.1.3. Guarded Sodium

3.2.1.4. Sodium Enrichment

3.2.2. Sulfur

3.2.2.1. Sulfur Dioxide

3.2.2.2. Total Reduced Sulfur

3.3. IMPACT OF IMPURITIES UPON REFRACTORY BRICKS

3.4. DUSTING

3.5. RING AND BALL FORMATION

3.6. SUMMARY

3.7. LITERATURE CITED

4. LIME KILN SYSTEM

Richard P. Manning, Glenn M. Hanson III, and Claus Jensen-Holm

4.1. OLDER KILN DESIGN

4.2. PRODUCT COOLERS

4.2.1. Satellite Cooler

4.2.2. Insulated Rotating Cooler

4.2.3. Stationary Cooler

4.3. DUST COLLECTORS

4.4. EXTERNAL DRYERS

4.4.1. Flash Drying of Lime Mud

4.4.2. External Dryer with Recirculation System

4.5. LIME KILN REFRACTORY SYSTEMS

4.5.1. Feed End

4.5.2. Mid Kiln

4.5.3. Burning Zone

4.5.4. Brick Systems

4.5.5. Tumblers

- 4.5.6. Discharge Dam
- 4.5.7. Refractory Issues
- 4.6. GENERAL KILN MAINTENANCE CONCERNS
 - 4.6.1. Chain Systems
 - 4.6.2. Refractory
 - 4.6.3. Kiln Shell

5. LIME KILN: COMBUSTION AND HEAT TRANSFER

Richard P. Manning

- 5.1. COMBUSTION IN LIME KILNS
- 5.2. FUEL/AIR MIXING
 - 5.2.1. Principles of Combustion
 - 5.2.2. Turbulent Jet Theory
 - 5.2.2.1. Region 1: Potential Core
 - 5.2.2.2. Region 2: Mixing and Transition
 - 5.2.2.3. Region 3: Fully Developed
- 5.3. COMBUSTION MODELING
 - 5.3.1. Physical Modeling
 - 5.3.2. Computational Fluid Dynamic Modeling
- 5.4. LIME KILN BURNER DESIGN
- 5.5. HEAT TRANSFER
- 5.6. IMPACT OF AVAILABLE OXYGEN
- 5.7. FLAME LOCATION
- 5.8. TRADITIONAL FUELS
 - 5.8.1. Oil Combustion
 - 5.8.2. Natural Gas Combustion
 - 5.8.3. Switching Between Oil and Natural Gas Firing
 - 5.8.4. Flame Detection: Oil versus Gas
- 5.9. ALTERNATIVE FUELS
- 5.10. PROBLEMS IN LIME KILNS RELATED TO COMBUSTION AND HEAT TRANSFER
 - 5.10.1. Refractory Damage
 - 5.10.2. Ringing
 - 5.10.3. High Feed-End Temperatures
 - 5.10.3.1. Insufficient Oxygen
 - 5.10.3.2. High Dry-Mud Solids
 - 5.10.3.3. Overloading the Kiln
 - 5.10.4. High Energy Usage
 - 5.10.5. Poor Product Quality
- 5.11. LITERATURE CITED

6. FLAME SAFETY SYSTEMS

Cliff Rennie

6.1. COMBUSTION

6.2. BURNER MANAGEMENT SYSTEM

6.3. COMPLIANCE

6.3.1. National Fire Protection Association

6.3.2. NFPA 86-19: Standard for Ovens and Furnaces

6.3.3. NFPA 85-19: Boiler and Combustion Systems Hazards Code

6.3.4. Key Changes to NFPA 86

6.4. DESIGN STANDARDS

6.4.1. Requirements from Design Standards

6.4.2. Allowances in Design Standards

6.5. KEY FLAME SAFETY SYSTEM COMPONENTS

6.5.1. Burner

6.5.2. Natural-Gas Valve Train

6.5.3. Oil Valve Train

6.5.4. Flame Scanners

6.5.4.1. Flame Scanner Location

6.5.2.2. Infrared Flame Scanners

6.5.2.3. Ultraviolet Flame Scanners

6.5.3. Temperature Sensors

6.5.4. BMS Panel

6.6. HOW TO IMPROVE THE PLANT/BMS RELATIONSHIP

6.6.1. Testing

6.6.2. Training

6.6.3. Maintenance and Audits

7. ALTERNATIVE FUELS

Peter W. Hart

7.1. PETROLEUM COKE

7.1.1. Potential Environmental Issues

7.1.1.1. Sulfur

7.1.1.2. Total Reduced Sulfur

7.1.1.3. Nitrogen Oxides

7.1.1.4. Carbon Monoxide

7.1.1.5. Particulate Matter

7.1.1.6. Total Hydrocarbons and Sulfuric Acid

7.1.1.7. Vanadium and Other Trace Metals

7.1.2. Petcoke Handling at a Mill Site (Unloading, Storage, and Feeding)

7.2. PULPING/RECOVERY BY-PRODUCTS

7.2.1. Crude Tall Oil Fuels

7.2.2. Tall Oil Pitch

7.2.3. Methanol

7.2.4. Crude Sulfate Turpentine

7.2.5. Lignin

7.3 WOODY BIOMASS

7.3.1. Pulverized Wood and Bark

7.3.2. Torrefaction of Woody Biomass: Biochar or Biocoal

7.4. GASIFICATION

7.5. BIO-OILS

7.5.1. Vegetable Oils

7.5.2. Animal Fat

7.5.3. Glycerin: A Biodiesel By-product

7.5.4. Pyrolysis Oils

7.6. HYDROGEN

7.7. TIRE-DERIVED FUELS

7.8. SUMMARY

7.9 LITERATURE CITED

8. CHAIN SYSTEM DESIGN

J. Peter Gorog

8.1. BACKGROUND

8.2. FUNCTION OF THE CHAIN SYSTEM

8.3. LAYOUT OF THE CHAIN SYSTEM

8.4. HEAT TRANSFER IN THE CHAIN SYSTEM

8.5. APPROACH USED TO MODEL A CHAIN SYSTEM

8.6. KILN SELECTED TO ILLUSTRATE CHAIN SYSTEM DESIGN

8.7. IMPACT OF CHAIN SYSTEM ON KILN PERFORMANCE

8.8. CHAIN SYSTEM DESIGN

8.9. CONCLUSIONS

8.10. LITERATURE CITED

9. SELECTION AND LAYOUT OF REFRACTORIES FOR LIME SLUDGE KILNS

J. Peter Gorog and Chris L. Macey

9.1. INTRODUCTION

9.2. REFRACTORY MATERIALS

9.2.1. Brick Shapes

9.2.2. Monolithic Materials

9.3. MORTARS

9.4. PHYSICAL PROPERTIES

- 9.4.1. Refractoriness
- 9.4.2. Bulk Density
- 9.4.3. Apparent Porosity
- 9.4.4. Cold Crushing Strength
- 9.4.5. Modulus of Rupture
- 9.4.6. Permanent Linear Change (After Reheating)
- 9.4.7. Refractoriness Under Load
- 9.4.8. Abrasion Resistance
- 9.4.9. Thermal Shock Resistance
- 9.4.10. Thermal Conductivity
- 9.4.11. Linear Thermal Expansion
- 9.4.12. Recommended Values for Physical Properties

9.5. CHEMICAL ATTACK BY LIME MUD

9.6. LAYOUTS OF REFRACTORY LININGS

- 9.6.1. Discharge Zone
- 9.6.2. Calcining Zone
- 9.6.3. Preheating Zone
- 9.6.4. Drying Zone

9.7. IMPACT OF REFRACTORY INSULATION ON KILN PERFORMANCE

9.8. ROTARY KILN BRICK INSTALLATION

9.9. COMMON CAUSES OF REFRACTORY FAILURES

- 9.9.1. Poor Installation
- 9.9.2. Thin Bricks
- 9.9.3. Localized Overheating
- 9.9.4. High Ovality
- 9.9.5. Spalling

9.10. SUMMARY

9.11. LITERATURE CITED

10. KILN EXHAUST GAS TREATMENT AND ENVIRONMENTAL CONTROLS

Benjamin Fierman, Magnus Rundqwist, Scott Blankenship, Peter W. Hart, and Glenn M. Hanson III

10.1. CYCLONES

- 10.1.1. Basic Cyclone Operation
- 10.1.2. Potential Issues with Cyclone Installation
- 10.1.3. Critical Design Factors
- 10.1.4. Types of Cyclones
- 10.1.5. Limitations of a Cyclone

10.2. HISTORY OF ELECTROSTATIC PRECIPITATION

- 10.2.1. Early Experimentation and Developments
- 10.2.2. Pulp Mill Lime Kiln Electrostatic Precipitators
- 10.3. THE ELECTROSTATIC PRECIPITATION PROCESS
- 10.4. WHY USE ELECTROSTATIC PRECIPITATORS?
- 10.5. TYPICAL ELECTROSTATIC PRECIPITATOR PROCESS PARAMETERS
- 10.6. ELECTROSTATIC PRECIPITATOR DESIGN
- 10.7. ELECTROSTATIC PRECIPITATOR PERFORMANCE CALCULATION
- 10.8. SAMPLE EMISSIONS DATA
- 10.9. CLOSING COMMENTS ABOUT ELECTROSTATIC PRECIPITATORS
- 10.10. WET SCRUBBERS
 - 10.10.1. Equipment and Technologies
 - 10.10.1.1. Quench Section
 - 10.10.1.2. Scrubber Vessels
 - 10.10.1.3. Impingement Scrubbers
 - 10.10.2. Multistage Wet Scrubbers
 - 10.10.2.1. Packed Bed
 - 10.10.2.2. Subcooling Stage
 - 10.10.2.3. Acid-Gas Absorption Stage
 - 10.10.2.4. Multiple Venturi Stage
 - 10.10.3. Mist Eliminators
- 10.11. WET SCRUBBER PERFORMANCE
- 10.12. OPERATION AND MAINTENANCE ISSUES
- 10.13. ACKNOWLEDGEMENT
- 10.14. LITERATURE CITED

11. FANS

Peter W. Hart

- 11.1. PRIMARY AIR FAN
- 11.2. INDUCED DRAFT FAN
 - 11.2.1. Induced Draft Fan as a Production Rate Limitation
 - 11.2.2. Induced Draft Fan Operating Principles
 - 11.2.3. Induced Draft Fan Location
 - 11.2.3.1. Wet or Cold Induced Draft Fan
 - 11.2.3.2. Hot or Dry Induced Draft Fan
- 11.3. TYPICAL OPERATION PROBLEMS OF INDUCED DRAFT FANS
 - 11.3.1. Dusting
 - 11.3.2. Imbalance
 - 11.3.3. Vibration
 - 11.3.4. High Maintenance Costs
- 11.4. LITERATURE CITED

12. LIME KILN CONTROL AND OPTIMIZATION

Richard P. Manning and Glenn M. Hanson III

12.1. KILN OPERATION

12.1.2. Balance of Inventory and Product Quality Management

12.1.2. Kiln Stability

12.1.3. Operations Troubleshooting

12.1.3.1. Rings and Balls

12.1.3.2. Dusting and Smelting

12.1.3.3. Kiln Excess Oxygen Concentration

12.2. PROCESS OPTIMIZATION: BENCHMARKING

12.3. PROCESS OPTIMIZATION: NO OR LITTLE CAPITAL COSTS

12.3.1. Dry Mud Solids

12.3.2. Feed-End O₂

12.3.3. Increased Lime Availability (Reduced Inerts)

12.3.4. Convert to Oil Firing

12.4. PROCESS OPTIMIZATION: CAPITAL INVESTMENT

12.4.1. Installing Product Coolers

12.4.2. Installing a Cyclone

12.4.3. Upgrade Chain System

12.4.4. Upgraded Kiln Refractory

12.5. SUMMARY

13. KILN PROCESS CONTROL

Peter W. Hart

13.1. HEAT BALANCE

13.1.1. Mass Balances (Eqs. 13.1–13.6)

13.1.2. Losses Associated with the Fuel Heating Value (Eqs. 13.7 and 13.8)

13.1.3. Energy Balance (Eq. 13.9)

13.1.4. Heat Rate Definition (Eq. 13.10)

13.1.5. Heat Rate Calculation Using the Heat Loss Method (Eq. 13.11)

13.1.6. Excess Air Calculations (Eqs. 13.12–13.16)

13.1.7. Shell Heat loss Calculation Q_{sh} (Eqs. 13.17–13.19)

13.1.8. Typical Heat Rate Calculation Parameters

13.2. CONTROL SYSTEM DEVELOPMENT

13.2.1. Manual Control

13.2.2. Phenomenological Control

13.2.3. Supervisory Control

13.2.4. Fuzzy Logic Control

13.2.5. Model Predictive Control

13.2.6. Neural Network or Adaptive Model Predictive Control

13.3. GOALS OF AUTOMATION

13.4. LITERATURE CITED

14. MECHANICAL MAINTENANCE, MEASURES, AND ALIGNMENT

Andrew Wisner and Tom Zhang

14.1. COMMON MECHANICAL PROBLEMS

14.1.1. Kiln Alignment

14.1.2. Kiln Thrust

14.1.3. Kiln Crank

14.1.4. Kiln Shell Ovality

14.1.5. Lubrication

14.2. DATA COLLECTION

14.2.1. General Inspection

4.2.1.1. Daily Inspections

4.2.1.2. Semiweekly Inspections

4.2.1.3. Weekly Inspections

4.2.1.4. Monthly Inspections

4.2.1.5. Quarterly Service

4.2.1.6. Semiannual Service

4.2.1.7. Annual Inspections

14.2.2. Ovality, Creep, and Temperature: General Information

14.2.2.1. Measuring Creep, Relative Motion, and Tire Migration

14.2.2.2. Importance of and Where to Measure Shell and Tire Temperature

14.2.2.3. General Information and How to Measure Ovality

14.2.2.4. Tire Mounted Directly Onto the Kiln Shell

14.2.3. Kiln Alignment

14.2.3.1. Methodologies

14.2.3.2. Survey Frequency

14.2.4. Kiln Crank and Shell Profile

14.2.4.1. Kiln Crank

14.2.4.2. Shell Profile

14.2.4.3. Measurements of Kiln Crank and Shell Profile

14.2.4.4. Effects of Excessive Kiln Shell Crank and Shell
Profile and Correction

14.2.5. Mechanical Kiln Load

14.2.5.1. Hertz Pressure

14.2.5.2. Tire Bending Stress

14.2.5.3. Tire Ovality

14.3. TYPICAL KILN MAINTENANCE

- 14.3.1. Thrust Adjustments
- 14.3.2. Correcting Creep and Ovality
- 14.3.3. Upgrade Options for Tires Mounted Directly Onto the Kiln Shell
- 14.3.4. Correcting Tire Wobble (Axial Misalignment)
- 14.3.5. Correcting Carrying Roller and Tire Face Profiles
- 14.3.6. Ring Gear Runout
- 14.3.7. Correcting Kiln Shell Profile or Crank Issues
- 14.3.8. Inspecting a Kiln on a Shutdown: General Tips
 - 14.3.8.1. Carrying Roller Housings
 - 14.3.8.2. Gearing and Drive System
 - 14.3.8.3. Burner and Discharge Hood
 - 14.3.8.4. Feed Screw and Feed Hood
 - 14.3.8.5. Chain Section
 - 14.3.8.6. Product Coolers

14.4. CONCLUSIONS

15. RECAUSTICIZING CHEMISTRY

Peter W. Hart

- 15.1. PRINCIPLE REACTIONS
- 15.2. IMPACT OF NONPROCESS ELEMENTS, SULFIDITY, AND IONIC STRENGTH
- 15.3. COMMON TERMINOLOGY
- 15.4. IMPACT OF LIME TYPE AND QUALITY
- 15.5. REACTION KINETICS
- 15.6. TYPICAL OPERATING CONDITIONS
- 15.7. SUMMARY
- 15.8. LITERATURE CITED

16. GREEN LIQUOR SCALE

Peter W. Hart

- 16.1. PIRSSONITE
 - 16.1.1. Solubility
 - 16.1.2. Proposed Formation Mechanisms
 - 16.1.3. Guidelines to Minimize Pirssonite Formation
 - 16.1.3.1. Avoiding the Death Cycle
 - 16.1.3.2. Green Liquor Scale Reduction Methods
 - 16.1.3.3. Green Liquor Line Management
 - 16.1.3.4. Daily Operating Practices
- 16.2. CALCITE
 - 16.2.1. Calcite Formation Mechanisms

- 16.2.2. Calcite Prevention
 - 16.2.2.1. Physical Prevention Methods
 - 16.2.2.2. Polymer Application
 - 16.2.2.3. External Methodologies
- 16.3. SODIUM ALUMINOSILICATES
- 16.4. METALS REMOVED IN GREEN LIQUOR DREGS
- 16.5. CONCLUSIONS
- 16.6. LITERATURE CITED

17. RECAUSTICIZING EQUIPMENT AND OPERATION

John B. Johnson II

- 17.1. THE SLAKER
 - 17.1.1. Feed to the Slaker
 - 17.1.2. Lime Silos
 - 17.1.3. Scrubbers
 - 17.1.4. Cyclone Feeder
 - 17.1.5. Steam Sparger
 - 17.1.6. The Slaker Mixing Bowl
 - 17.1.7. Instrumentation
 - 17.1.8. Bowl Temperature Control
 - 17.1.9. The Classifier
 - 17.1.10. Grit Disposal
 - 17.1.11. Slaker Operation
 - 17.1.12. Troubleshooting the Slaker
 - 17.1.12.1. Varying Green Liquor Strength and Varying Lime Availability
 - 17.1.12.2. Grit
 - 17.1.12.3. Mechanical
- 17.2. AGITATED TANKS
 - 17.2.1. Tank Size
 - 17.2.2. Tank Material
 - 17.2.3. Baffles
 - 17.2.4. Agitator Selection
 - 17.2.5. Agitator Placement
 - 17.2.6. Causticizers
 - 17.2.7. Causticizer Feed Tank
 - 17.2.8. Green Liquor Stabilization Tank
 - 17.2.9. The Dregs Tank
 - 17.2.10. The Mud Mix Tank
 - 17.2.11. The Lime Mud Reclaim Tank
 - 17.2.12. Lime Mud Storage

17.3. SEDIMENTATION PRODUCTION OF LIQUORS

- 17.3.1. The Tank
- 17.3.2. The Drive
- 17.3.3. Drive Control
- 17.3.4. Rake Lift
- 17.3.5. Shaft and Rakes
- 17.3.6. The Feedwell
- 17.3.7. Launderers and Bustle Pipes
- 17.3.8. Multiple-Compartment Clarifiers
- 17.3.9. Green-Liquor Clarification
- 17.3.10. Troubleshooting the Green-Liquor Clarifier
 - 17.3.10.1. Feed Rate Too High
 - 17.3.10.2. High Dregs Content or Colloidal Dregs in the Feed Liquor
 - 17.3.10.3. Insufficient Underflow Rate and High Dregs Bed Level
 - 17.3.10.4. Air in the Feed Liquor
 - 17.3.10.5. Organics
 - 17.3.10.6. Density, Flow, and Temperature Variations
- 17.3.11. Dregs Washing
- 17.3.12. White-Liquor Clarification
- 17.3.13. Troubleshooting the White-Liquor Clarifier
 - 17.3.13.1. Dregs and Overliming
 - 17.3.13.2. Loading
 - 17.3.13.3. Fresh Lime and Soft Burnt Lime
- 17.3.14. Mud Washing
- 17.3.15. Troubleshooting the Mud Washer
 - 17.3.15.1. Entrained Air
 - 17.3.15.2. Wet Scrubber Fines
- 17.3.16. Troubleshooting Underflow Lines
 - 17.3.16.1. Plugged Line
 - 17.3.16.2. Thin Underflow

17.4. FILTRATION

- 17.4.1. Vacuum Filtration
 - 17.4.1.1. Vacuum Drum Filters
 - 17.4.1.2. The Drum
 - 17.4.1.3. Drum Internal Piping
 - 17.4.1.4. Discharge Valve or Outlet
 - 17.4.1.5. Filter Media
 - 17.4.1.6. The Bailer Pipe
 - 17.4.1.7. The Vat
 - 17.4.1.8. The Agitator

- 17.4.1.9. Scraper Discharge
- 17.4.1.10. The Hood
- 17.4.1.11. Cake Wash
- 17.4.1.12. Acid Washing
- 17.4.1.13. The Sluice Pipe
- 17.4.1.14. Precoat Renewal Systems
- 17.4.1.15. Lime Mud Precoat Filter Operation and Troubleshooting
- 17.4.1.16. Dregs Precoat Filter Operation and Troubleshooting
- 17.4.2. Vacuum Disc Filters for Lime Mud
 - 17.4.2.1. Center Shaft and Sectors
 - 17.4.2.2. Filter Media
 - 17.4.2.3. Discharge
 - 17.4.2.4. Vat Level and Agitation
 - 17.4.2.5. Cake Wash
 - 17.4.2.6. The Hood
 - 17.4.2.7. Precoat Renewal Systems
 - 17.4.2.8. Vacuum Disc Filter Operation and Troubleshooting
- 17.4.3. Vacuum Pump Sizing and Operation
- 17.4.4. Vacuum Receivers
 - 17.4.4.1. Separation
 - 17.4.4.2. Filtrate
- 17.4.5. Pressure Tube Filtration
 - 17.4.5.1. Pressure Tube Filters for White Liquor and Mud Washing
 - 17.4.5.2. The Pressure Vessel
 - 17.4.5.3. Operation
 - 17.4.5.4. Acid Cleaning
 - 17.4.5.5. Troubleshooting Tube Filters
- 17.4.6. Pressure Cassette Filters
- 17.4.7. Pressure Disc Filters
 - 17.4.7.1. Center Shaft and Discs
 - 17.4.7.2. Filter Media
 - 17.4.7.3. The Separator
 - 17.4.7.4. The Pressure Shell
 - 17.4.7.5. Agitation
 - 17.4.7.6. Scraper discharge
 - 17.4.7.7. Cake Wash
 - 17.4.7.8. Vat Level and Differential Pressure
 - 17.4.7.9. The Compressor
 - 17.4.7.10. Changing the Precoat
 - 17.4.7.11. White-Liquor Pressure Disc Filter Operation

- and Troubleshooting
- 17.4.7.12. Green-Liquor Pressure Disc Filter Operation
and Troubleshooting
- 17.4.7.13. Acid Cleaning
- 17.4.8. Cross-Flow Filters
- 17.4.9. Plate and Frame Filters
- 17.5. THE CENTRIFUGE
- 17.6. GENERAL SYSTEM SIZING

18. CAUSTIC PLANT PROCESS CONTROL

Peter W. Hart

18.1. SENSORS

18.1.1. Green-Liquor Density Control Sensors

18.1.1.1. Baume Stick

18.1.1.2. Bubble Tube

18.1.1.3. Nuclear Density Meters

18.1.1.4. Refractive Index

18.1.1.5. Density Meter Assumptions

18.1.2. Conductivity Meters

18.1.3. Online Titrators

18.1.4. Fourier Transform Near-Infrared Liquor Analyzers

18.2. GOALS OF ADVANCED CONTROL IN A CAUSTIC PLANT

18.3. GREEN LIQUOR TOTAL TITRATABLE ALKALI

18.3.1. Raw Green Liquor from Dissolving Tank

18.3.2. Green-Liquor Trim Control

18.4. SLAKER CONTROL

18.4.1. Delta Temperature Slaker Control

18.4.2. Constant Slaker Temperature Control

18.4.3. Conductivity Control

18.4.4. Advanced Slaker Control Using Measured Compositions

18.5. SUMMARY

18.6. ACKNOWLEDGEMENT

18.7. LITERATURE CITED